Burden of COVID-19 on Milwaukee County children

Milwaukee County COVID-19 Epidemiology Intel Term

This report was updated on September 10, 2020 and includes data through September 8, 2020. Note that data for recent weeks may be under-reported due to pending test results.

This report focuses on children ages 0-18; however, maps include only those 0-17 due to a lack of availability of population (denominator) data for those age 18 alone.

COVID-19 summary statistics for Milwaukee County children aged 18 and under

Overall Summary Statistics: Milwaukee County children aged 18 and under March 1 - September 8	
Total tests performed	23,266
Percent positive of all tests performed	10.1%
Number of confirmed cases	3,090
Number of hospitalizations	49
Number of deaths	0
Case fatality rate	0.0%

Weekly Summary Statistics: Milwaukee County children aged 18 and unde September 2 - September 8	r
Total tests performed	729
Percent positive of all tests performed	5.5%
Number of confirmed cases	50
Number of hospitalizations	1
Number of deaths	0

Cases over time for Milwaukee County children aged 18 and under

There are now a total of 3090 cases among children ages 0-18 in Milwaukee County, with the first confirmed case on March 17. Over the last week, we observed 50 new confirmed cases, including 34 in the City of Milwaukee and 16 in the suburban jurisdictions. **Figure 1** shows the cumulative cases among children in the city and the suburbs, indicating a steep increase beginning in July that corresponded to a similar increase among adults. **Figure 2** shows the daily incidence of new cases (bars) and the average daily incidence within the last 7 days (line), which provides a smoothing effect to enhance visualization, for both the city and the county. To indicate a potential reporting delay, we shade the last four days of data and exclude those days from the trend line.

Over the last two weeks we have seen cases level off with a slight decline. The highest daily case count since the beginning of the epidemic occurred on July 14, with 70 cases in the county overall. Of note, the highest daily case count over the entire period in the city occurred on May 20 with 48 cases confirmed, while the highest daily case count in the suburbs occurred more recently, on July 8 with 26 cases confirmed.

Milwaukee County Suburbs
City of Milwaukee

2500

1500

1000


1000

Specimen collection date

Figure 1: Cumulative cases in Milwaukee County children aged 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 2: Daily cases in Milwaukee County children aged 18 and under




Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Demographic patterns in Milwaukee County cases aged 18 and under

COVID-19 cases among children vary by demographic characteristics. **Figure 3** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Most diagnosed cases fall within the ages of 15-18 with 1166 cases, with confirmed cases among other age groups each much lower. Of all confirmed cases, 48.5% are male and 51.1% are female. The largest number of cases have been diagnosed among the Hispanic population (N = 1261), followed by the Black/AA population (N = 741) and then non-Hispanic Whites (N = 542). The lower two quartiles of median household income (\$0 - \$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the fewest cases identified among the highest income group. Over the last week, we have observed increases particularly among those ages 15-18 and those who are Hispanic, Black or non-Hispanic White.

Figure 3: Cumulative confirmed cases in Milwaukee County children aged 18 and unc



Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

Total cases and tested individuals through September 8, 2020 by year of age

Age is a considerable factor in confirmed cases among children. As shown in Figure 4, overall, confirmed cases increase with age. It is notable that 150 cases have been diagnosed among those less than 1 year old. As shown in **Figure 5**, the distribution of confirmed cases mirrors the distribution of testing among children, with many more tests conducted among older teenagers, particularly those aged 18, as compared to the younger age groups.

Total cases Age in years Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Figure 4: Total confirmed cases by age among Milwaukee County children

Created by the Milwaukee County COVID-19 Epidemiology Intel Team




Figure 5: Total tested children by age in Milwaukee County

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Total tests through September 8, 2020 for children aged 18 and under

Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in a child in Milwaukee County on March 17, a total of 23266 COVID-19 tests have been performed among children ages 0-18, with 20908 negative results and 2358 positive results. This represents a positive test rate of 10.1% since the beginning of the epidemic.


As shown in **Figure 6**, very few tests were conducted among children earlier in the epidemic; it is likely that COVID-19 cases among children were not identified. Testing among children then increased to peak in early July and has since declined. As shown in **Figure 7**, the 14-day trend in percent positive tests among children shows a significant decrease.

2400 Test result Number of tests performed 2200 Negative 2000 1800 Positive 1600 1400 1200 1000 800 600 400 200 AQT.29 May 20 AUD OS Mayob M84.13 May-27 Jun 03 Jun'10 Jul. 29 MIG 12 Jun-2ª 111.08 111.22 JUI-01 One-week window start date


Figure 6: Number of tests per week among Milwaukee County children 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 7: Percent positive tests among Milwaukee County children aged 18 and under



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team




Date of specimen collection


Spatial patterns of COVID-19 in Milwaukee County children

COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County children. **Map 2** shows cases confirmed in children over the last week. **Map 3** depicts the percentage of tests that were confirmed positive. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. High rates are depicted in red with lower rates depicted in blue.

Map 1: All confirmed cases of COVID-19 in children aged 0-17



Map 2: Confirmed cases of COVID-19 over the last week in children aged 0-17




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 10 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Map 3: Percentage of tests that were confirmed positive in children aged 0-17



Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Data Sources & Acknowledgments

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from September 2, 2020 through September 8, 2020. This work was funded by the Advancing a Healthier Wisconsin Endowment at the Medical College of Wisconsin. Contact Information

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team: Darren.Rausch@greenfieldwi.us or (414) 329-5275.