Burden of COVID-19 on Milwaukee County children

Milwaukee County COVID-19 Epidemiology Intel Team

This report was updated on April 8, 2021 and includes data through April 6, 2021. Note that data for recent weeks may be under-reported due to pending test results.

This report focuses on children ages 0-18; however, maps include only those 0-17 due to a lack of availability of population (denominator) data for those age 18 alone. We include individuals of age 18 as some of this age are enrolled in K-12 schools.

COVID-19 summary statistics for Milwaukee County children aged 18 and under

Overall Summary Statistics: Milwaukee County children aged 18 and under March 1, 2020 - April 6, 2021				
	Milwaukee County	City of Milwaukee	Suburbs	
Total tests performed	84,926	49,554	35,372	
Percent positive of all tests performed	12.8%	14.0%	11.2%	
Number of confirmed cases	14,112	9,198	4,914	
Number of hospitalizations	211	170	41	

Number of deaths

Case fatality rate

Weekly Summary Statistics: Milwaukee County children aged 18 and under
Weekly building blatistics: will wante bounty children aged to and under
Manala 04 0004 April C 0004
March 31, 2021 - April 6, 2021
······································

0.0%

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	1,271	731	540
Percent positive of all tests performed	9.0%	8.6%	9.4%
Number of confirmed cases	139	80	59
Number of hospitalizations	6	6	0
Number of deaths	1	1	0

1

0.0%

0

0.0%

Cases over time for Milwaukee County children aged 18 and under

There are now a total of 14112 cases among children ages 0-18 in Milwaukee County, with the first confirmed case on March 17, 2020. Over the last week, we observed 139 new confirmed cases, including 80 in the City of Milwaukee and 59 in the suburban jurisdictions. **Figure 1** shows the cumulative cases among children in the city and the suburbs. **Figure 2a** shows the daily incidence of new cases (bars) and the average daily incidence within the last 7 days (line), which provides a smoothing effect to enhance visualization, for both the city and the county. This figure was re-produced for ages 17 and under, **Figure 2b**, to look at trends without the contribution of 18 year olds who are a mixture of current high school students and graduates. To indicate a potential reporting delay, we shade the last seven days of data and exclude those days from the trend line.

Over the last week we have seen a slight increase in the daily case count among children in Milwaukee County. The highest daily case count since the beginning of the epidemic occurred on November 10, 2020, with 209 cases in the county overall. The highest daily case count over the entire period in the city occurred on November 16, 2020 with 138 cases confirmed, while the highest daily case count in the suburbs occurred on November 10, 2020 with 92 cases confirmed.

Milwaukee County Suburbs
City of Milwaukee

2000

8000

4000

2000

Milwaukee


City of Milwaukee

Specimen collection date

Figure 1: Cumulative cases in Milwaukee County children aged 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team


Figure 2a: Daily cases in Milwaukee County children aged 18 and under



Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 2b: Daily cases in Milwaukee County children aged 17 and under



Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Demographic patterns in Milwaukee County cases aged 18 and under

COVID-19 cases among children vary by demographic characteristics. **Figure 3** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Most diagnosed cases fall within the ages of 15-17 with 3434 cases, with confirmed cases among other age groups each much lower. Of all confirmed cases, 50.3% are female and 49.4% are male. The largest number of cases have been diagnosed among the Hispanic population (N = 4670), followed by non-Hispanic Whites (N = 4041), and then the Black/AA population (N = 3123). The lower two quartiles of median household income (\$0-\$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the fewest cases identified among the highest income group. Over the last week, we have observed increases among several age groups and those who are Hispanic, Black/AA, or non-Hispanic White.

7000 Median household income quartile 7000 -Age Q1: Lowest 0-4 6000 6000 5-8 Q2: Low-medium Q3: Medium-high 9-11 Q4: Highest 12-14 5000 5000 15-17 4000 4000 3000 3000 2000 2000 1000 1000 Cumulative confirmed cases *ૹ૽ૢૹૢૹઌઌઌ૽ૣઽઌઌ*ૢ 7000 Race/Ethnicity* Gender 7000 Black or AA Male 6000 6000 Female Hispanic Other/Unknown Asian 5000 5000 AIAN NHOP 4000 4000 Multiple Races Other 3000 3000 2000 2000 1000 1000 とせきほん・レビュプトトでいる。0.0.57446 とくんりん くんぐん かりもゃくせき レット・マント・マント・マント・マント・マント・マント・マント・マント・スト・ド

Figure 3: Cumulative confirmed cases in Milwaukee County children aged 18 and under

Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

Hospitalized cases in Milwaukee County children aged 18 and under

A total of 211 children aged 18 and younger have been hospitalized due to COVID-19 in Milwaukee County. The average age of hospitalized children is 9.5, ranging from infants through 18-year-olds. Hospitalizations are greater among males at 50.7%. Fully 46.9% of hospitalizations have occurred among Black/AA children, with 30.8% among Hispanic/Latinx children. Only 14.7% of hospitalizations are among non-Hispanic Whites. These percentages contrast with the distribution of cases by race and ethnicity, with 28.6% non-Hispanic White, 33.1% Hispanic, and 22.1% Black/AA among all cases aged 18 and younger.

Variable	Hospitalized cases (N = 211)	
Age		
Mean (SD)	9.46 (6.76)	
Median [Q1, Q3]	11.00 [2.00, 16.00]	
Min, Max	0.00, 18.00	
Age categories		
0-4	71 (33.6 %)	
5-8	20 (9.5 %)	
9-11	17 (8.1 %)	
12-14	29 (13.7 %)	
15-17	55 (26.1 %)	
18	19 (9.0 %)	
Gender		
Female	104 (49.3 %)	
Male	107 (50.7 %)	
Race/Ethnicity		
Black or AA	99 (46.9 %)	
White	31 (14.7 %)	
Hispanic	65 (30.8 %)	
Asian	12 (5.7 %)	
AIAN	<10	
Unknown	<10	

Total cases and tested individuals through April 6, 2021 by year of age

Age is a considerable factor in confirmed cases among children. As shown in **Figure 4**, overall, confirmed cases increase with age. It is notable that 587 cases have been diagnosed among those less than 1 year old. As shown in **Figure 5**, the distribution of confirmed cases mirrors the distribution of testing among children, with many more tests conducted among older teenagers, particularly those aged 18, as compared to the younger age groups.




Figure 4: Total confirmed cases by age among Milwaukee County children

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team




Figure 5: Total tested children by age in Milwaukee County

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Total tests through April 6, 2021 for children aged 18 and under

Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in a child in Milwaukee County on March 17, 2020, a total of 84926 COVID-19 tests have been performed among children ages 0-18, with 74046 negative results and 10880 positive results. This represents a positive test rate of 12.8% since the beginning of the epidemic.


As shown in **Figure 6**, very few tests were conducted among children early in the epidemic; it is likely that COVID-19 cases among children were not identified. Testing among children increased until early July and then declined, with another increase beginning in September and peaking in early November. followed by a decline. Testing was low during the weeks of Thanksgiving, Christmas, and the New Year. As shown in **Figure 7**, the 14-day trend in percent positive tests among children shows no significant change. Percent positive should be interpreted in the context of potential data delays given the large numbers of tests conducted in recent weeks, and considering that data entry for positive tests is prioritized.

4000 Test result Number of tests performed 3500 Negative 3000 Positive 2500 2000 1500 1000 500 Oct. A AUG'O Sepul Sept GERT30 00,38 Oper 123 771-22 One-week window start date

Figure 6: Number of tests per week among Milwaukee Co. children 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team





50% Slope = -0.05 [-0.35, 0.26]; p = 0.74545% 40% 35% 30% 25% 20% 15% 10% 5% 0%

14-day trend


Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Spatial patterns of COVID-19 in Milwaukee County children

COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County children. **Map 2** shows cases confirmed in children over the last four weeks. **Map 3** depicts the percentage of tests that were confirmed positive. **Map 4** shows cumulative COVID-19 related hospitalizations among children. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. High rates are depicted in red with lower rates depicted in blue.


Map 1: All confirmed cases of COVID-19 in children aged 0-17



8

Map 2: Confirmed cases of COVID-19 over the last four weeks in children aged 0-17

COVID-19 Incidence Rate Latest 4 Weeks March 10,2021 - April 6,2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Map 3: Percentage of tests that were confirmed positive in children aged 0-17




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Map 4: COVID-19 related hospitalizations in children aged 0-17



Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 hospitalized cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Data Sources & Acknowledgments

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from March 31, 2021 through April 6, 2021. This work was funded by the Advancing a Healthier Wisconsin Endowment at the Medical College of Wisconsin.

Contact Information

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team: Darren.Rausch@greenfieldwi.us or (414) 329-5275.