# **Burden of COVID-19 on Milwaukee County children**

Milwaukee County COVID-19 Epidemiology Intel Team

This report was updated on June 17, 2021 and includes data through June 15, 2021. Note that data for recent weeks may be under-reported due to pending test results.

This report focuses on children ages 0-18; however, maps include only those 0-17 due to a lack of availability of population (denominator) data for those age 18 alone. We include individuals of age 18 as some of this age are enrolled in K-12 schools.

## COVID-19 summary statistics for Milwaukee County children aged 18 and under

Overall Summary Statistics: Milwaukee County children aged 18 and under
March 1, 2020 - June 15, 2021

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	105,326	61,225	44,101
Percent positive of all tests performed	11.4%	12.6%	9.8%
Number of confirmed cases	15,532	10,187	5,345
Number of hospitalizations	261	212	49
Number of deaths	1	1	0
Case fatality rate	0.0%	0.0%	0.0%

# Weekly Summary Statistics: Milwaukee County children aged 18 and under June 9, 2021 - June 15, 2021

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	846	454	392
Percent positive of all tests performed	0.7%	1.1%	0.3%
Number of confirmed cases	14	14	0
Number of hospitalizations	1	1	0
Number of deaths	0	0	0

#### Cases over time for Milwaukee County children aged 18 and under


There are now a total of 15532 cases among children ages 0-18 in Milwaukee County, with the first confirmed case on March 17, 2020. Over the last week, we observed 14 new confirmed cases, including 14 in the City of Milwaukee and 0 in the suburban jurisdictions. **Figure 1** shows the cumulative cases among children in the city and the suburbs. **Figure 2a** shows the daily incidence of new cases (bars) and the average daily incidence within the last 7 days (line), which provides a smoothing effect to enhance visualization, for both the city and the county. This figure was re-produced for ages 17 and under, **Figure 2b**, to look at trends without the contribution of 18 year olds who are a mixture of current high school students and graduates. To indicate a potential reporting delay, we shade the last seven days of data and exclude those days from the trend line.

Over the last week we have seen a plateau in the daily case count among children in Milwaukee County, particularly within the city of Milwaukee. The highest daily case count since the beginning of the epidemic occurred on November 4, 2020, with 208 cases in the county overall. The highest daily case count over the entire period in the city occurred on November 16, 2020 with 138 cases confirmed, while the highest daily case count in the suburbs occurred on November 10, 2020 with 92 cases confirmed.

Figure 1: Cumulative cases in Milwaukee County children aged 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team


Figure 2a: Daily cases in Milwaukee County children aged 18 and under



Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 2b: Daily cases in Milwaukee County children aged 17 and under



Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

#### Demographic patterns in Milwaukee County cases aged 18 and under

COVID-19 cases among children vary by demographic characteristics. **Figure 3** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Most diagnosed cases fall within the ages of 15-17 with 3742 cases, with confirmed cases among other age groups each much lower. Of all confirmed cases, 50.2% are female and 49.5% are male. The largest number of cases have been diagnosed among the Hispanic population (N = 5166), followed by non-Hispanic Whites (N = 4526), and then the Black/AA population (N = 3810). The lower two quartiles of median household income (\$0-\$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the fewest cases identified among the highest income group. Over the last week, we have observed an increase among Black/AA children.

8000 8000 Median household income quartile 7000 Q1: Lowest Q2: Low-medium 5-8 9-11 6000 Q3: Medium-high 6000 12-14 Q4: Highest 5000 5000 4000 4000 3000 3000 2000 2000 1000 1000 Cumulative confirmed cases 8000 8000 Race/Ethnicity\* Gender 7000 Black or AA 7000 White Female Other/Unknown 6000 Hispanio 6000 Asian AIAN 5000 5000 NHOPI Multiple Races 4000 4000 Other Unknown 3000 3000 2000 2000 1000 1000

Figure 3: Cumulative confirmed cases in Milwaukee County children aged 18 and under

Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

#### Hospitalized cases in Milwaukee County children aged 18 and under

A total of 261 children aged 18 and younger have been hospitalized due to COVID-19 in Milwaukee County. **Figure 4** illustrates the weekly count of hospitalizations among children aged 18 and under. As shown in **Table 1**, the average age of hospitalized children is 9.3, ranging from infants through 18-year-olds. Among hospitalized children, 49.8% are male and 50.2% are female. Fully 47.1% of hospitalizations have occurred among Black/AA children, with 28.7% among Hispanic/Latinx children. Only 14.2% of hospitalizations are among non-Hispanic Whites. These percentages contrast with the distribution of cases by race and ethnicity, with 29.1% non-Hispanic White, 33.3% Hispanic, and 24.5% Black/AA among all cases aged 18 and younger.

16 Hospitalized cases per week 14 12 10 8 6 1 Dec. 09 Jul-08 771-722 \*Hon's Marios Jun-10 AUD OS Jan 20 Marini HOYN Jan-06 Keb O3 1,48p.1 Specimen collection date One-week window start date

Figure 4: Weekly hospitalized cases in Milwaukee County children aged 18 and under

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Table 1: Summary of children hospitalized for COVID-19 in Milwaukee County

Variable	Hospitalized children 18 and under (N = 261)
Age	
Mean (SD)	9.31 (6.73)
Median [Q1, Q3]	10.00 [2.00, 16.00]
Min, Max	0.00, 18.00
Age categories	
0-4	88 ( 33.7 %)
5-8	26 ( 10.0 %)
9-11	24 ( 9.2 %)
12-14	36 ( 13.8 %)
15-17	62 ( 23.8 %)
18	25 ( 9.6 %)
Gender	
Female	131 ( 50.2 %)
Male	130 ( 49.8 %)
Race/Ethnicity	
Black or AA	123 ( 47.1 %)
White	37 ( 14.2 %)
Hispanic	75 ( 28.7 %)
Asian	17 ( 6.5 %)
AIAN	<10
Other	<10
Unknown	<10

### Total cases and tested individuals through June 15, 2021 by year of age

Age is a considerable factor in confirmed cases among children. As shown in **Figure 5**, overall, confirmed cases increase with age. It is notable that 652 cases have been diagnosed among those less than 1 year old. As shown in **Figure 6**, the distribution of confirmed cases mirrors the distribution of testing among children, with many more tests conducted among older teenagers, particularly those aged 18, as compared to the younger age groups.




Figure 5: Total confirmed cases by age among Milwaukee County children

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team




Figure 6: Total tested children by age in Milwaukee County

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

#### Total tests through June 15, 2021 for children aged 18 and under


Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in a child in Milwaukee County on March 17, 2020, a total of 105326 COVID-19 tests have been performed among children ages 0-18, with 93286 negative results and 12040 positive results. This represents a positive test rate of 11.4% since the beginning of the epidemic.


As shown in **Figure 7**, very few tests were conducted among children early in the epidemic; it is likely that COVID-19 cases among children were not identified. Testing among children increased until early July and then declined, with another increase beginning in September and peaking in early November, followed by a decline. Testing was low during the weeks of Thanksgiving, Christmas, and the New Year. As shown in **Figure 8**, the 14-day trend in percent positive tests among children shows a significant decrease. Percent positive should be interpreted in the context of potential data delays given the large numbers of tests conducted in recent weeks, and considering that data entry for positive tests is prioritized.

Figure 7: Number of tests per week among Milwaukee Co. children 18 and under 4000 Test result Number of tests performed 3500 Negative 3000 Positive 2500 2000 1500 1000 500 777.72 20 10 AUGOS 00,78 404.77 Decros Jan Ob . 404.55 MA COLCE 580, 280, 00, 0 One-week window start date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 8: Percent positive tests among Milwaukee County children aged 18 and under






Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

#### Spatial patterns of COVID-19 in Milwaukee County children


COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County children. **Map 2** shows cases confirmed in children over the last four weeks. **Map 3** depicts the percentage of tests that were confirmed positive. **Map 4** shows cumulative COVID-19 related hospitalizations among children. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. High rates are depicted in red with lower rates depicted in blue.


Map 1: All confirmed cases of COVID-19 in children aged 0-17



9

## Map 2: Confirmed cases of COVID-19 over the last four weeks in children aged 0-17






Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data) 2018 American Community Survey (population data)
City of Miiwaukee Map Miiwaukee Portal (neighborhood boundaries)
Census Bureau TIGER/Line Shapefiles (census place boundaries)
Created by the Miiwaukee County Covid-19 Epidemiology Intel Team

Map 3: Percentage of tests that were confirmed positive in children aged 0-17




Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)

2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TiGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

#### Map 4: COVID-19 related hospitalizations in children aged 0-17



Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 hospitalized cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data) 2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TIGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

#### **Data Sources & Acknowledgments**

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from June 9, 2021 through June 15, 2021.

#### **Contact Information**

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team: Darren.Rausch@greenfieldwi.us or (414) 329-5275.