

# Burden of COVID-19 on Milwaukee County children

Milwaukee County COVID-19 Epidemiology Intel Team

This report was updated on July 22, 2021 and includes data through July 20, 2021. Note that data for recent weeks may be under-reported due to pending test results.

This report focuses on children ages 0-18; however, maps include only those 0-17 due to a lack of availability of population (denominator) data for those age 18 alone. We include individuals of age 18 as some of this age are enrolled in K-12 schools.

## COVID-19 summary statistics for Milwaukee County children aged 18 and under

### Overall Summary Statistics: Milwaukee County children aged 18 and under March 1, 2020 - July 20, 2021

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	110,899	64,404	46,495
Percent positive of all tests performed	11.0%	12.1%	9.4%
Number of confirmed cases	15,736	10,341	5,395
Number of hospitalizations	287	230	57
Number of deaths	1	1	0
Case fatality rate	0.0%	0.0%	0.0%

### Weekly Summary Statistics: Milwaukee County children aged 18 and under July 14, 2021 - July 20, 2021

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	984	563	421
Percent positive of all tests performed	6.7%	7.8%	5.2%
Number of confirmed cases	82	63	19
Number of hospitalizations*	5	3	2
Number of deaths	0	0	0


\*Total children hospitalized for COVID-19 with specimen collection date within the last 30 days

## Cases over time for Milwaukee County children aged 18 and under

There are now a total of 15736 cases among children ages 0-18 in Milwaukee County, with the first confirmed case on March 17, 2020. Over the last week, we observed 82 new confirmed cases, including 63 in the City of Milwaukee and 19 in the suburban jurisdictions. **Figure 1** shows the cumulative cases among children in the city and the suburbs. **Figure 2a** shows the daily incidence of new cases (bars) and the average daily incidence within the last 7 days (line), which provides a smoothing effect to enhance visualization, for both the city and the county. This figure was re-produced for ages 17 and under, **Figure 2b**, to look at trends without the contribution of 18 year olds who are a mixture of current high school students and graduates. To indicate a potential reporting delay, we shade the last seven days of data and exclude those days from the trend line.


Over the last week we have seen an increase in the daily case count among children in Milwaukee County. The highest daily case count since the beginning of the epidemic occurred on November 4, 2020, with 210 cases in the county overall. The highest daily case count over the entire period in the city occurred on November 16, 2020 with 133 cases confirmed, while the highest daily case count in the suburbs occurred on November 10, 2020 with 92 cases confirmed.

**Figure 1: Cumulative cases in Milwaukee County children aged 18 and under**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 2a: Daily cases in Milwaukee County children aged 18 and under**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 2b: Daily cases in Milwaukee County children aged 17 and under**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## Demographic patterns in Milwaukee County cases aged 18 and under

COVID-19 cases among children vary by demographic characteristics. **Figure 3** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Most diagnosed cases fall within the ages of 15-17 with 3780 cases, with confirmed cases among other age groups each much lower. Of all confirmed cases, 50.3% are female and 49.4% are male. The largest number of cases have been diagnosed among the Hispanic population (N = 5227), followed by non-Hispanic Whites (N = 4556), and then the Black/AA population (N = 3929). The lower two quartiles of median household income (\$0 - \$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the fewest cases identified among the highest income group. Over the last week, we have observed an increase among Black/AA children.

**Figure 3: Cumulative confirmed cases in Milwaukee County children aged 18 and under**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Created by the Milwaukee County COVID-19 Epidemiology Intel Team


\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

## Hospitalized cases in Milwaukee County children aged 18 and under

A total of 287 children aged 18 and younger have been hospitalized due to COVID-19 in Milwaukee County. **Figure 4** illustrates the weekly count of hospitalizations among children aged 18 and under. As shown in **Table 1**, the average age of hospitalized children is 9.4, ranging from infants through 18-year-olds. Among hospitalized children, 47.0% are male and 53.0% are female. Fully 48.1% of hospitalizations have occurred among Black/AA children, with 27.5% among Hispanic/Latinx children. Only 15.0% of hospitalizations are among non-Hispanic Whites. These percentages contrast with the distribution of cases by race and ethnicity, with 29.0% non-Hispanic White, 33.2% Hispanic, and 25.0% Black/AA among all cases aged 18 and younger.

**Figure 4: Weekly hospitalized cases in Milwaukee County children aged 18 and under**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
 Created by the Milwaukee County COVID-19 Epidemiology Intel Team


*Table 1: Summary of children hospitalized for COVID-19 in Milwaukee County*

Variable	Hospitalized children 18 and under (N = 287)
<b>Age</b>	
Mean (SD)	9.38 (6.68)
Median [Q1, Q3]	10.00 [2.00, 16.00]
Min, Max	0.00, 18.00
<b>Age categories</b>	
0-4	94 ( 32.8 %)
5-8	30 ( 10.5 %)
9-11	28 ( 9.8 %)
12-14	39 ( 13.6 %)
15-17	69 ( 24.0 %)
18	27 ( 9.4 %)
<b>Gender</b>	
Female	152 ( 53.0 %)
Male	135 ( 47.0 %)
<b>Race/Ethnicity</b>	
Black or AA	138 ( 48.1 %)
White	43 ( 15.0 %)
Hispanic	79 ( 27.5 %)
Asian	18 ( 6.3 %)
AIAN	<10
Other	<10
Unknown	<10

## Total cases and tested individuals through July 20, 2021 by year of age


Age is a considerable factor in confirmed cases among children. As shown in **Figure 5**, overall, confirmed cases increase with age. It is notable that 675 cases have been diagnosed among those less than 1 year old. As shown in **Figure 6**, the distribution of confirmed cases mirrors the distribution of testing among children, with many more tests conducted among older teenagers, particularly those aged 18, as compared to the younger age groups.

**Figure 5: Total confirmed cases by age among Milwaukee County children**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 6: Total tested children by age in Milwaukee County**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## Total tests through July 20, 2021 for children aged 18 and under

Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in a child in Milwaukee County on March 17, 2020, a total of 110899 COVID-19 tests have been performed among children ages 0-18, with 98725 negative results and 12174 positive results. This represents a positive test rate of 11.0% since the beginning of the epidemic.


As shown in **Figure 7**, very few tests were conducted among children early in the epidemic; it is likely that COVID-19 cases among children were not identified. Testing among children increased until early July and then declined, with another increase beginning in September and peaking in early November, followed by a decline. Testing was low during the weeks of Thanksgiving, Christmas, and the New Year. As shown in **Figure 8**, the 14-day trend in percent positive tests among children shows a significant increase. Percent positive should be interpreted in the context of potential data delays given the large numbers of tests conducted in recent weeks, and considering that data entry for positive tests is prioritized.

**Figure 7: Number of tests per week among Milwaukee Co. children 18 and under**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 8: Percent positive tests among Milwaukee County children aged 18 and under**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team



## Spatial patterns of COVID-19 in Milwaukee County children

COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County children. **Map 2** shows cases confirmed in children over the last four weeks. **Map 3** depicts the percentage of tests that were confirmed positive. **Map 4** shows cumulative COVID-19 related hospitalizations among children. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. High rates are depicted in red with lower rates depicted in blue.


### Map 1: All confirmed cases of COVID-19 in children aged 0-17



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Map 2: Confirmed cases of COVID-19 over the last four weeks in children aged 0-17

### COVID-19 Incidence Rate Latest 4 Weeks June 23,2021 - July 20,2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
2018 American Community Survey (population data)  
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team

### Map 3: Percentage of tests that were confirmed positive in children aged 0-17

#### COVID-19 Positive Testing Rate March 17, 2020 - July 20, 2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Map 4: COVID-19 related hospitalizations in children aged 0-17

### COVID-19 Hospitalization Rate March 17, 2020 - July 20, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 hospitalized cases included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Data Sources & Acknowledgments

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from July 14, 2021 through July 20, 2021.

## Contact Information

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team:  
[Darren.Rausch@greenfieldwi.us](mailto:Darren.Rausch@greenfieldwi.us) or (414) 329-5275.