Burden of COVID-19 on Milwaukee County children

Milwaukee County COVID-19 Epidemiology Intel Team

This report was updated on May 19, 2022 and includes data through May 17, 2022. Note that case and testing data for recent weeks may be under-reported due to pending test results. In this report, confirmed case totals include individuals with a positive PCR test result, and do not include individuals with only a positive antigen/rapid/at-home test. Hospitalizations overall are thought to be an undercount. Deaths may lag by several days due to a process of death review and confirmation.

This report focuses on children ages 0-18; however, maps include only those 0-17 due to a lack of availability of population (denominator) data for those age 18 alone. We include individuals of age 18 as some of this age are enrolled in K-12 schools.

COVID-19 summary statistics for Milwaukee County children aged 18 and under

Overall Summary Statistics: Milwaukee County children aged 18 and under March 1, 2020 - May 17, 2022				
	Milwaukee County	City of Milwaukee	Suburbs	
Total tests performed	288,610	169,720	118,890	
Percent positive of all tests performed	13.8%	14.6%	12.6%	
Number of confirmed cases	48,938	30,855	18,083	
Percent under age 18 among all cases	20.6%	20.7%	20.3%	
Number of hospitalizations	756	592	164	
Number of deaths	1	1	0	
Case fatality rate	0.0%	0.0%	0.0%	

Weekly Summary Statistics: Milwaukee County children aged 18 and under May 11, 2022 - May 17, 2022

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	2,642	1,585	1,057
Percent positive of all tests performed	15.8%	16.3%	14.9%
Number of confirmed cases	467	275	192
Percent under age 18 among all cases	23.7%	26.4%	20.7%
Number of hospitalizations*	14	9	5
Number of deaths	0	0	0

^{*}Total children hospitalized for COVID-19 with specimen collection date within the last 30 days

Cases over time for Milwaukee County children aged 18 and under

There are now a total of 48,938 cases among children ages 0-18 in Milwaukee County, with the first confirmed case on March 16, 2020. Over the last week, we observed 467 new confirmed cases, including 275 in the City of Milwaukee and 192 in the suburban jurisdictions.

Figures 1a and 1b show the daily incidence of new cases in Milwaukee County (stacked bars) and average daily incidence within the last 7 days (lines) for children under 18, and adults 18 and older. **Figure 2a** shows the daily incidence and 7-day average daily incidence among Milwaukee County children aged 18 and under, where the color indicates cases in the city vs. the suburbs. This figure was reproduced for ages 17 and under, **Figure 2b**, to look at trends without the contribution of 18 year olds who are a mixture of current high school students and graduates. To indicate a potential reporting delay, we shade the last 4 days of data and exclude those days from the trend line.


Over the last week we have seen an increase in the daily case count among children in Milwaukee County. The highest daily case count since the beginning of the epidemic occurred on January 3, 2022, with 1,220 cases in the county overall. The highest daily case count over the entire period in the city occurred on January 3, 2022 with 810 cases confirmed, while the highest daily case count in the suburbs occurred on January 3, 2022 with 410 cases confirmed.

5000 Age 18+ 4500 Age < 18 4000 3500 Daily incidence 3000 2500 2000 1500 1000 500 May-07:20 Sepon 20 Oct. 07.20 May 07:20 Febra 1.22

Figure 1a: Stacked bargraph of daily cases in Milwaukee County by age group


Date of specimen collection

Figure 1b: Stacked bargraph of daily cases in Milwaukee County by age group (most recent 90 days)



Date of specimen collection


Figure 2a: Daily cases in Milwaukee County children aged 18 and under



Specimen collection date

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

Figure 2b: Daily cases in Milwaukee County children aged 17 and under




Specimen collection date

Demographic patterns in Milwaukee County cases aged 18 and under

COVID-19 cases among children vary by demographic characteristics. **Figure 3** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Of all confirmed cases, 49.7% are female and 49.0% are male. The largest number of cases have been diagnosed among the Black/AA population (N = 14475), followed by the non-Hispanic White population (N = 15614), and then the Hispanic population (N = 12963). The lower two quartiles of median household income (\$0 - \$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the most cases identified among the lowest income group.

Figure 3: Cumulative confirmed cases in Milwaukee County children aged 18 and under



Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

Hospitalized cases in Milwaukee County children aged 18 and under

A total of 756 children aged 18 and younger have been hospitalized due to COVID-19 in Milwaukee County. **Figure 4** illustrates the weekly count of hospitalizations among children aged 18 and under. As shown in **Table 1**, the average age of hospitalized children is 8.8, ranging from infants through 18-year-olds. Among hospitalized children, 47.6% are male and 50.9% are female. Notably, 36.0% of hospitalizations are among children ages 0-4. Fully 50.8% of hospitalizations have occurred among Black/AA children, with 22.5% among Hispanic/Latinx children. Only 18.5% of hospitalizations are among non-Hispanic Whites. These percentages contrast with the distribution of cases by race and ethnicity, with 31.9% non-Hispanic White, 26.5% Hispanic, and 29.6% Black/AA among all cases aged 18 and younger.

Hospitalized cases per week

The property of t

Figure 4: Weekly hospitalized cases in Milwaukee County children aged 18 and under

Specimen collection date One-week window start date

Table 1: Summary of children hospitalized for COVID-19 in Milwaukee County

Variable	Hospitalized children 18 and under (N = 756)
Age	
Mean (SD)	8.77 (6.70)
Median [Q1, Q3]	9.50 [1.00, 15.00]
Min, Max	0.00, 18.00
Age categories	
0-4	272 (36.0 %)
5-8	87 (11.5 %)
9-11	68 (9.0 %)
12-14	105 (13.9 %)
15-17	157 (20.8 %)
18	67 (8.9 %)
Gender	
Female	385 (50.9 %)
Male	360 (47.6 %)
Other/Unknown	11 (1.5 %)
Race/Ethnicity	
Black or AA	384 (50.8 %)
White	140 (18.5 %)
Hispanic	170 (22.5 %)
Asian	39 (5.2 %)
AIAN	<10
NHOPI	<10
Multiple Races	<10
Other	<10
Unknown	<10

Total cases and tested individuals through May 17, 2022 by year of age

Age is a considerable factor in confirmed cases among children. As shown in **Figure 5**, overall, confirmed cases increase with age. It is notable that 2572 cases have been diagnosed among those less than 1 year old. As shown in **Figure 6**, the distribution of confirmed cases mirrors the distribution of testing among children, with many more tests conducted among older teenagers, particularly those aged 18, as compared to the younger age groups.




Figure 5: Total confirmed cases by age among Milwaukee County children

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team




Figure 6: Total tested children by age in Milwaukee County

Total tests through May 17, 2022 for children aged 18 and under

Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in a child in Milwaukee County on March 16, 2020, a total of 288,610 COVID-19 tests have been performed among children ages 0-18, with 248,837 negative results and 39,773 positive results. This represents a positive test rate of 13.8% since the beginning of the epidemic.

As shown in **Figure 7**, few tests were conducted among children early in the epidemic; it is likely that COVID-19 cases among children were not identified. Testing among children increased until early July and then declined, with another increase beginning in September 2020 and peaking in early November, followed by a decline. Testing was low during the weeks of Thanksgiving and Christmas 2020, and the 2021 New Year. Testing declined until the summer 2021 surge in cases beginning in late June. Testing peaked in mid-September 2021 and declined until mid-October, then increased again to peak around early January 2022 as the surge driven by the Omicron variant peaked. As shown in **Figure 8**, the 14-day trend in percent positive tests among children shows no significant change. Percent positive should be interpreted in the context of potential data delays given the large numbers of tests conducted in recent weeks, and considering that data entry for positive tests is prioritized.

Test result

Negative
Positive

10000

4000

4000

0

10000

4000

10000

4000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000

10000

100000

10000

10000

10000

10000

10000

10000

10000


10000

1000

One-week window start date

Figure 7: Number of tests per week among Milwaukee Co. children 18 and under


Figure 8: Percent positive tests among Milwaukee County children aged 18 and under



Date of specimen collection

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS) Created by the Milwaukee County COVID-19 Epidemiology Intel Team

14-day trend




Date of specimen collection


Spatial patterns of COVID-19 in Milwaukee County children


COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County children. **Map 2** shows cases confirmed in children over the last four weeks. **Map 3** depicts the percentage of tests that were confirmed positive. **Map 4** shows cumulative COVID-19 related hospitalizations among children. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. High rates are depicted in red with lower rates depicted in blue.

Map 1: All confirmed cases of COVID-19 in children aged 0-17



Map 2: Confirmed cases of COVID-19 over the last four weeks in children aged 0-17







Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data) 2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TIGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Map 3: Percentage of tests that were confirmed positive in children aged 0-17







Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data) 2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TIGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Map 4: COVID-19 related hospitalizations in children aged 0-17





Method:
A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 hospitalized cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data) 2018 American Community Survey (population data)
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)
Census Bureau TIGER/Line Shapefiles (census place boundaries)
Created by the Milwaukee County Covid-19 Epidemiology Intel Team

Data Sources & Acknowledgments

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from May 11, 2022 through May 17, 2022.

Contact Information

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team: Darren.Rausch@greenfieldwi.us or (414) 329-5275.